



Product Datasheet

Product Name	Recombinant Mouse Macrophage Inflammatory Protein-1 beta (CCL4)
Cata No	CB501256
Source	<i>Escherichia Coli.</i>
Synonyms	Small inducible cytokine A4, CCL4, Macrophage inflammatory protein 1-beta, MIP-1-beta, MIP-1-beta(1-69), T-cell activation protein 2, ACT-2, PAT 744, H400, SIS-gamma, Lymphocyte activation gene 1 protein, LAG-1, HC21, G-26 T-lymphocyte-secreted protein, chemokine (C-C motif) ligand 4, ACT2, G-26, LAG1, MIP1B, SCYA2, SCYA4, AT744.1, MGC104418, MGC126025, MGC126026.

Description

Macrophage Inflammatory Proteins (MIP) belong to the family of chemotactic cytokines known as chemokines. In humans, there are two major forms, MIP-1 α and MIP-1 β that are now officially named CCL3 and CCL4 respectively. Both are major factors produced by macrophages after they are stimulated with bacterial endotoxins. They activate human granulocytes (neutrophils, eosinophils and basophils) which can lead to acute neutrophilic inflammation. They also induce the synthesis and release of other pro-inflammatory cytokines such as interleukin 1 (IL-1), IL-6 and TNF- α from fibroblasts and macrophages. The genes for CCL3 and CCL4 are both located on human chromosome 17.

Macrophage Inflammatory Protein-1 beta Mouse Recombinant produced in E.Coli is a single, non-glycosylated, polypeptide chain containing 69 amino acids and having a molecular mass of 7808 Dalton.

The MIP-1b is purified by proprietary chromatographic techniques.

Physical Appearance

Sterile Filtered White lyophilized (freeze-dried)

powder.

Biological Activity

Mouse MIP-1 beta activity is calculated by the ability to chemoattract Human blood monocytes at 20-100 ng/ml.

Purity

Greater than 98.0% as determined by:

- (a) Analysis by RP-HPLC.
- (b) Analysis by SDS-PAGE.

Formulation

Lyophilized from a concentrated (1 mg/ml) solution in water containing no additives.

Reconstitution

It is recommended to reconstitute the lyophilized Mouse MIP-1b in sterile 18M Ω -cm H₂O not less than 100 μ g/ml, which can then be further diluted to other aqueous solutions.

Stability

Lyophilized Mouse MIP-1b although stable at room temperature for 3 weeks, should be stored desiccated below -18 $^{\circ}$ C. Upon reconstitution Mouse

*** For Non-Clinical Research Use Only ***



California Bioscience

83103 Avenue 48, Ste.1B #204
Coachella, CA 92236 USA
Phone : +1.6268339877
Email : info@cali-bio.com

CCL4 should be stored at 4°C between 2-7 days
and for future use below -18°C.

For long term storage it is recommended to add a
carrier protein (0.1% HSA or BSA).

Please prevent freeze-thaw cycles.

Sequence

APYGADTPTA CCFSYSRKIP RQFIVDYFET
SSLCSQPGVI FLTKRNRQIC ADSKETWVQE
YITDLELNA

Product Datasheet

*** For Non-Clinical Research Use Only ***